



HALL A2



Building surface area
3,500 sqm
Hospitality area (level 1):
380 sqm / capacity 100 pax
Access by lift
Catering premises: 55 sqm



Building measurements
L 80 x W 45 m



Ceiling height
5.30 to 8.76 m
Hospitality ceiling: 3.90 m



Uniform load
2,000 Kg/m²



Services
4 toilet blocks
Catering premises
2-stream dustbin



Access – Doors
> Doors / emergency exits: H 2.19 m.
> 2 truck access doors: W 4.25 m – H 4.15 m.



Lighting
> Lighting using 80W HighBay LEDs divided into 5 separate circuits.
Lighting use invoiced separately.



Heating
> Hall heated by circulation of warm air using 8 air treatment units and a gas boiler. *Heating use invoiced separately.*



Electricity
> 4 electricity junction boxes at the ends of the hall: 2 x 160 A and 2 x 250 A.



Sound
> Speaker system throughout the hall for public address announcements.



Rigging
> 5 metal beams each with 5 hoist rings (see plan). Each ring can bear a weight of up to a tonne, total load limited to 5 tonnes per beam. e.
• Items can also be hung on structures other than the hoist rings, on request from the Exhibition Centre.
• Each request for rigging points will be examined in detail by our technical services. *A load plan in DWG format must be supplied at least 3 weeks before the beginning of event set-up. An approved body must check the plans.*



Telephone / Internet
> Internal phone network (private automatic branch exchange) – dial 0 to phone out.
> Internet connections possible: wired or Wi-Fi networks.



Water
> Water supply through floor (trenches, diameter 32) with or without sink (15/21 fitting).



